

N635P466410

N635P466411

N635P466412


Product manual

Gebruiksaanweisung

Manuel du produit

Manual del producto

Manuale del prodotto




EN:Our product will be delivered to you in 3 packages.The delivery times of these 3 packagesmay differ,please be patient and thank you for your understanding
FR:Notre produit vous sera livré en 3 colis.Les delais delivraison de ces 3 colis peuvent différer,soyezpatient et merci de votre compréhension.

DE:Unser Produkt wird Ihnen in 3 Paketen geliefert.Die Lieferzeiten dieser 3 Paketekönnenabweichen,bitte habenSie etwas Geduld und vielen Dank fur Ihr Verstandnis

IT:I nostri prodotti vengono trasportati in 3 pacchetti. I tempi di consegna dei 3 pacchetti sono diversi:abbiate pazienza e vi ringrazio per la vostra comprensione.

ES:Nuestro producto se entrega en 3 paquetes. El tiempo de entrega de estos 3 paquetes es diferente. Porfavor,sea paciente. Gracias por su comprensión.





[DE]

Warnung: Lesen Sie diese Anleitung vor dem Zusammenbau bitte vollständig durch. Überprüfen Sie, ob Sie alle auf den Seiten aufgeführten Komponenten und Werkzeuge haben. Bewahren Sie die Anleitung zum späteren Nachschlagen auf. Teile des Zusammenbaus lassen sich mit 2 Personen leichter durchführen. Suchen Sie bei Bedarf professionelle Hilfe.

Warnung: Legen Sie alle Teile auf eine ebene Fläche. Legen Sie eine weiche Decke oder Ähnliches darunter, um sie vor Kratzern oder Flecken zu schützen. Vermeiden Sie es, Komponenten über den Boden zu ziehen oder zu schieben.

Warnung: Überprüfen Sie regelmäßig alle Beschläge und Befestigungen, um sicherzustellen, dass sie sicher sind und um Unfälle zu vermeiden. Wenn Teile fehlen, kaputt, beschädigt oder abgenutzt sind, verwenden Sie das Produkt nicht weiter, bis es mit vom Hersteller autorisierten Teilen repariert wurde.

Warnung: Lassen Sie Kinder nicht auf die Möbel klettern, da dies zum Umkippen und zu schweren Verletzungen führen kann. Bauen Sie die Möbel außerhalb der Reichweite von Kindern zusammen.

Warnung: Stellen Sie die Möbel nicht in die Nähe von Feuerquellen oder heißen Gegenständen, um Brandgefahr zu vermeiden.

Warnung: Reinigen Sie die Möbel mit einem feuchten Tuch oder Alkohol. Verwenden Sie keine Reinigungsmittel mit ätzenden Chemikalien.

Warnung: Dieses Produkt ist mit einer Kippschutzvorrichtung ausgestattet. Bitte installieren Sie diese Vorrichtung unbedingt, um unnötige Verletzungen durch Umkippen zu vermeiden.

[EN]

Warning: Please read these instructions fully before starting assembly. Check you have all the components and tools listed on pages. Keep the instructions for later reference. Parts of the assembly will be easier with 2 people. Seek professional assistance if necessary.

Warning: Please place all parts on a flat surface. Place a soft blanket or similar underneath to protect against scratches or stains. Avoid dragging or sliding components across the floor.

Warning: Regularly check all fittings and fastenings to ensure they are secure and to prevent accidents. If any parts are missing, broken, damaged, or worn, discontinue use of the product until repairs have been made using factory authorized parts.

Warning: Do not allow children to climb on the furniture as this may result in tipping and serious personal injury. Assemble the furniture away from the reach of children.

Warning: Do not place furniture close to fire sources or high-temperature objects to avoid the risk of fire. Do not place furniture in damp environments to prevent material damage.

Warning: Clean furniture with a damp cloth or alcohol, avoid using cleaning agents containing corrosive chemicals.

Warning: This product is equipped with an anti-tilt device. Please be sure to install this device to prevent unnecessary injuries caused by tipping.

[FR]

Avertissement : Veuillez lire attentivement ces instructions avant de commencer l'assemblage. Vérifiez que vous disposez de tous les composants et outils répertoriés sur les pages. Conservez les instructions pour référence ultérieure. Certaines parties de l'assemblage seront plus faciles à 2 personnes. Demandez l'aide d'un professionnel si nécessaire.

Avertissement : Veuillez placer toutes les pièces sur une surface plane. Placez une couverture douce ou similaire en dessous pour les protéger des rayures ou des taches. Évitez de faire glisser les composants sur le sol.

Avertissement : Vérifiez régulièrement tous les raccords et fixations pour vous assurer qu'ils sont bien fixés et pour éviter les accidents. Si des pièces manquent, sont cassées, endommagées ou usées, cessez d'utiliser le produit jusqu'à ce que des réparations aient été effectuées à l'aide de pièces autorisées par l'usine.

Avertissement : Ne laissez pas les enfants grimper sur les meubles car cela pourrait entraîner un basculement et des blessures graves. Assemblez les meubles hors de portée des enfants.

Avertissement : Ne placez pas les meubles à proximité de sources de feu ou d'objets à haute température pour éviter tout risque d'incendie.

Avertissement : Nettoyez les meubles avec un chiffon humide ou de l'alcool, évitez d'utiliser des produits de nettoyage contenant des produits chimiques corrosifs.

Avertissement : Ce produit est équipé d'un dispositif anti-basculement. Assurez-vous d'installer ce dispositif pour éviter les blessures inutiles causées par un basculement.

[IT]

Attenzione: leggere attentamente queste istruzioni prima di iniziare il montaggio. Verificare di avere tutti i componenti e gli strumenti elencati nelle pagine. Conservare le istruzioni per riferimento futuro. Alcune parti del montaggio saranno più facili con 2 persone. Se necessario, chiedere assistenza professionale.

Attenzione: posizionare tutte le parti su una superficie piana. Posizionare una coperta morbida o simile sotto per proteggere da graffi o macchie. Evitare di trascinare o far scivolare i componenti sul pavimento.

Attenzione: controllare regolarmente tutti i raccordi e i dispositivi di fissaggio per assicurarsi che siano sicuri e per prevenire incidenti. Se alcune parti sono mancanti, rotte, danneggiate o usurate, interrompere l'uso del prodotto fino a quando non siano state eseguite le riparazioni utilizzando parti autorizzate dalla fabbrica.

Attenzione: non consentire ai bambini di arrampicarsi sui mobili poiché ciò potrebbe causare ribaltamenti e gravi lesioni personali. Montare i mobili lontano dalla portata dei bambini.

Attenzione: non posizionare i mobili vicino a fonti di fuoco o oggetti ad alta temperatura per evitare il rischio di incendio

Attenzione: pulire i mobili con un panno umido o alcol, evitare di utilizzare detergenti contenenti sostanze chimiche corrosive.

Attenzione: questo prodotto è dotato di un dispositivo antiribaltamento. Assicurarsi di installare questo dispositivo per prevenire lesioni inutili causate dal ribaltamento.

[ES]

Advertencia: Lea estas instrucciones completamente antes de comenzar el montaje. Compruebe que tiene todos los componentes y herramientas que se enumeran en las páginas. Conserve las instrucciones para consultarlas más adelante. El montaje de algunas partes será más sencillo con 2 personas. Busque ayuda profesional si es necesario.

Advertencia: Coloque todas las piezas sobre una superficie plana. Coloque una manta suave o algo similar debajo para protegerlas de rayones o manchas. Evite arrastrar o deslizar los componentes por el piso.


Advertencia: Verifique regularmente todos los accesorios y fijaciones para asegurarse de que estén seguros y evitar accidentes. Si falta alguna pieza, está rota, dañada o desgastada, deje de usar el producto hasta que se hayan realizado las reparaciones con piezas autorizadas de fábrica.


Advertencia: No permita que los niños se suban a los muebles, ya que esto puede provocar que se vuelquen y lesiones personales graves. Monte los muebles fuera del alcance de los niños.

Advertencia: No coloque los muebles cerca de fuentes de fuego u objetos de alta temperatura para evitar el riesgo de incendio.

Advertencia: Limpie los muebles con un paño húmedo o alcohol, evite usar agentes de limpieza que contengan químicos corrosivos.

Advertencia: Este producto está equipado con un dispositivo antivuelco. Asegúrese de instalar este dispositivo para evitar lesiones innecesarias causadas por vuelcos.

Importeur	Decobus Handel GmbH
Adresse	Innungsstraße 9, 21244 Buchholz, Deutschland
Email/URL	https://www.decobusgroup.de
Hersteller	Xiamen Worldwide Industry Co., Ltd.
Adresse	Unit 803, Hongyihua Palace, 388 Qishan Rd. Huli High-tech Park, Xiamen, China
Email/URL	info@wdwide.com
Partienummer	N635P466410/N635P466411/N635P466412
Hergestellt in	China
	Decobus Handel GmbH Innungsstraße 9, 21244 Buchholz, Deutschland https://www.decobusgroup.de




EN_QUICKFIT: Tighten quickfit until shoulder is flush with panel. Do not overtighten or undertighten.

FR_RACCORD RAPIDE: Faites serrer le raccord rapide jusqu'à ce que l'épaulement soit parfaitement encastré dans le panneau. Il ne faut ni trop serrer ni insuffisamment serrer.

ES_QUICKFIT: Apriete quickfit hasta que el hombro se descargue con el panel. NO lo sobreapriete ni lo apriete poco.

DE_QUICKFIT: Ziehen Sie den Quickfit fest, bis die Schulter mit der Platte bündig ist. Bitte nicht zu fest oder zu schwach anziehen.

IT_MONTAGGIO RAPIDO: Stringere il montaggio rapido fino a quando la spalla è a filo con il pannello, non stringere troppo o troppo poco.




EN_CAM LOCK: When fitting cam lock, ensure starting position is correct before you insert connecting quickfit.

FR_SERRURE BATTEUSE: Avant d'insérer la serrure batteuse, veillez à la bonne orientation avant d'insérer le raccord rapide.

ES_CIERRE DE LA CÁMARA: Cuando instale el cierre de la cámara, asegúrese de que la posición de inicio es correcta antes de que inserte el quickfit conector.

DE_CAM-LOCK: Achten Sie bei der Montage des Cam-Locks auf die richtige Ausgangsposition, bevor Sie den Quickfit einsetzen.

IT_BLOCCAGGIO A CAMMA: Quando si monta il bloccaggio a camma, assicurarsi che la posizione iniziale sia corretta prima di inserire il montaggio rapido di collegamento.



EN_Quickfit head should be in the centre of the cam lock when the two panels are joined.

Cam lock should be inserted before quickfit.

FR_ Lorsque les deux panneaux sont assemblés, la tête du raccord rapide doit reposer au centre de la serrure batteuse. Il faut insérer la serrure batteuse avant le raccord rapide.

ES_ El cabezal del quickfit debe estar en el centro del cierre de la cámara cuando se unan los dos paneles.

Se debe insertar el cierre de la cámara antes que el quickfit.

DE_ Der Quickfit-Kopf sollte sich in der Mitte des Cam-Locks befinden, wenn die beiden Platten zusammengefügt sind. Der Cam-Lock sollte vor dem Quickfit eingesetzt werden.

IT_ La testa del montaggio rapido deve trovarsi al centro del bloccaggio a camma quando i due pannelli sono uniti.

Il Bloccaggio a Camma deve essere inserito prima del montaggio rapido.

EN_ Turn cam lock clockwise to tighten.

FR_ Faites tourner la serrure batteuse dans le sens des aiguilles d'une montre pour la resserrer.

ES_ Gire el cierre de la cámara en sentido horario para apretarlo.

DE_ Drehen Sie den Cam-Lock im Uhrzeigersinn, um ihn festzuziehen.

IT_ Ruotare il bloccaggio a camma in senso orario per stringere.


EN_ It may be necessary to adjust the hinges so that the doors align. Use the instructions below as a guide.

FR_ Il est parfois nécessaire d'ajuster les charnières pour un meilleur alignement des portes. Servez-vous des instructions ci-dessous comme guide.

ES_ Puede que sea necesario ajustar los quicios de forma que se alineen las puertas. Use las instrucciones que aparecen debajo como guía.

DE_ Möglicherweise müssen Sie die Scharniere so einstellen, dass die Türen ausgerichtet sind. Verwenden Sie die nachstehenden Anweisungen als Leitfaden.

IT_ Potrebbe essere necessario regolare le cerniere in modo che le porte siano allineate. Per fare ciò attenersi alle istruzioni sottostanti.



EN_ To adjust the door vertically loosen the screw as shown and move up and down as needed.

FR_ Si vous souhaitez régler la porte **verticalement**, desserrez la vis comme indiqué et déplacez la porte de haut en bas selon les besoins.

ES_ Para ajustar la puerta **verticalmente** afloje el tornillo tal y como se muestra y muévalo hacia arriba o hacia abajo según sea necesario.

DE_ Um die Tür **vertikal** auszurichten, lösen Sie die Schraube wie abgebildet und bewegen Sie sie nach Bedarf nach oben oder nach unten.

IT_ Per allineare la porta **verticalmente** allentare la vite come mostrato e spostarla in alto o in basso secondo necessità.




EN_ To adjust the gap from the door to the main frame turn the screw clockwise or anti-clockwise as needed.

FR_ Si vous souhaitez ajuster l'**écart** entre la porte et le cadre principal, tournez la vis dans le sens des aiguilles d'une montre ou dans le sens inverse, si nécessaire.

ES_ Para ajustar el **espacio** desde la puerta al marco principal, gire el tornillo en sentido horario o antihorario, según se necesite.

DE_ Um den **Abstand** von der Tür zum Hauptrahmen auszurichten, drehen Sie die Schraube je nach Bedarf im oder gegen den Uhrzeigersinn.

IT_ Per regolare lo **spazio** tra la porta e il telaio principale, avvitare o svitare la vite secondo necessità.




EN_ To adjust the door laterally adjust the screw as shown by turning clockwise or anti-clockwise.

FR_ Si vous souhaitez ajuster la porte **latéralement**, ajustez la vis comme indiqué en tournant dans le sens des aiguilles d'une montre ou dans le sens inverse des aiguilles d'une montre.

ES_ Para ajustar la puerta **lateralmente** ajuste el tornillo tal y como se muestra girándolo en sentido horario y antihorario.

DE_ Um die Tür **seitlich** auszurichten, stellen Sie bitte die Schraube wie abgebildet durch Drehen im oder gegen den Uhrzeigersinn ein.

IT_ Per allineare la porta **lateralmente** regolare la vite come mostrato, avvitandola o svitandola.




EN_ Please fix other screws

FR_ Merci de serrer les autres vis.


ES_ Fije los demás tornillos

DE_ Befestigen Sie bitte die anderen Schrauben


IT_ Fissare le altre viti




N635P466410 - Box:1/3







			
① x 1pc	③ x 1pc	④ x 1pc	⑥ x 1pc
			
⑧x 1pc	⑨ x 1pc	⑩ x 2pcs	⑪x 1pc
			
⑫ x 1pc	⑯x 1pc	⑰ x 1pc	⑳x 2pcs

N635P466411 - Box:2/3


			
② x 1pc	⑬ x 1pc	⑭ x 1pc	⑮x 1pc
			
⑰ x 1pc	⑳ x 2pcs	㉔ x 2pcs	㉕ x 2pcs
			
㉔x 1pc			

			
⑤ x 1pc	⑦ x 2pcs	⑱ x 1pc	⑳ x 1pc
			
㉒ x 1pc	㉓ x 1pc	㉖ x 2pcs	㉗ x 3pcs
			
㉘ x 3pcs	㉙ x 3pcs	㉚ x 3pcs	㉛ x 3pcs
			
㉜x 1pc	㉝ x 3pcs		



Hardware-Liste :N635P466411- Box:2/3

 M6x35mm	 Φ15x9mm	 Φ6x30mm	 M3x12mm
A x 88pcs	B x 88pcs	C x 52pcs	D x 30pcs
			 M3x16mm
F x 3pcs	G x 10pcs	H x 1pc	I x 36pcs
			 M4x14mm
J x 1pc	M x 2pcs	N x 6pcs	O x 54pcs
 M5x40mm			
P x 6pcs	Qx 32pcs	R x 1 pc	S x 1 pc
 M4x35mm		 M3x12mm	 M4x18mm
T x 12 pcs	U x 24pcs	V x 6 pcs	W x 7 pcs
			
X x 7 pcs	Y x 4 pcs	Z x 1 pc	



Hardware-Liste :N635P466412- Box:3/3

			
K x 1pc			

Prevent dumping of spare parts+ N639P466411 - Box:2/3



		 M4x14mm	 M4x35mm
E x 2pcs	L x 2pcs	O x 2pcs	T x 2pcs

1.



A x 10pcs

2.



B x 8pcs





C x 4pcs




G x 6pcs


3.




		
A x 4pcs	D x 9pcs	F x 3pcs

4.





A x 4pcs

5.




	
B x2pcs	C x 2pcs

6.






B x 4pcs

7.




	
B x2pcs	C x 2pcs

8.




			
A x 16pcs	D x 9pcs	F x 3pcs	G x 4pcs

9.




10.




	
B x10pcs	C x 6pcs

11.




12.



	
B x6pcs	C x 6pcs

13.




B x2pcs





C x 2pcs

14.





15.




		
A x 6pcs	I x 2pcs	H x 1pc

16.





A x 10pcs


17.




		
B x8pcs	C x 4pcs	O x 6pcs

18.





A x 6pcs

19.





	
B x 6pcs	C x 4pcs

20.




	
B x 2pcs	C x 1pc

21.



A x 14pcs

22.




B x 8pcs




C x 3pcs

23.




24.




	
B x6pcs	C x 2pcs

25.




26.





	
B x6pcs	C x 6pcs

27.




28.




A x 6pcs

29.





		
C x 4pcs	P x 6pcs	Z x 1pc

30.




	
B x 6pcs	C x 6pcs

31.



I x2pcs



K x 1pc

32.






DE: Durchdringen Sie die beiden Lampenbänder durch die Löcher 8 und 21, reißen Sie dann die Membran hinter dem Lampenbänder ab und kleben Sie an den Boden der Teile 3 und 12 und befestigen Sie es mit dem Zubehör V.



UK: Thread two light strips through holes 8 and 21 respectively, then tear off the film behind the light strips and stick them to the bottom of parts 3 and 12, and fix them with accessory V.

FR: Les deux rubans lumineux sont percés de trous dans les pièces 8 et 21 respectivement, puis le film derrière le ruban lumineux est arraché et collé au fond des pièces 3 et 12, puis la ferrure V est fixée.


IT: Inserire due nastri di luce attraverso i fori dei componenti 8 e 21, quindi strappare la membrana dietro il nastro di luce incollata alla parte inferiore dei componenti 3 e 12 e fissare con l'accessorio V.

ES: Introduzca las dos cintas de luz a través de los agujeros 8 y 21 de los componentes, respectivamente, y luego rompa la película detrás de las cintas de luz y pegue en la parte inferior de los componentes 3 y 12, y luego fije con el accesorio V.




				
I x 32pcs	Q x 32pcs	R x 1pc	S x 1pc	V x 6pcs



33.



x3

		 M4x35mm
A x 12pcs	B x 12pcs	T x12pcs




34.



x3


 M3x12mm	 DRx3 DLx3		 M4x20mm
D x 12pcs	F	X x3pcs	W x 3pcs

35.




Y x 4pcs

36.



37.



				
M x 2pcs	N x 6pcs	O x 16pcs	X x 4pcs	W x 4pcs

38.

① Sideways / Tilt adjustment

Turn the screw
clockwise to move the door further away from
the side of the cabinet
anticlockwise to move the door closer to the
side of the cabinet






② ④ Height adjustment

While supporting the weight of the door, turn the
screws
clockwise to move the door up
anticlockwise to move the door down



③ Forward and back adjustment


If the gap between the back of the door and the
cabinet is too small, and the door may not close
fully. Turn the screw
clockwise to decrease the gap between the
door and the cabinet
anticlockwise to increase the gap between the
door and the cabinet




M4x14mm



O x 32pcs

39.

	 M4x35mm
E x 2pcs	T x 2pcs
 M4x14mm	
O x 2pcs	L x 2pcs



wall



DE:ACHTUNG: Zur Sicherheit und Stabilität empfehlen wir Ihnen, die Kippsicherungszubehör an der Wand zu befestigen, um ein Umkippen, Verletzungen und Sachschäden zu verhindern.

UK:ATTENTION: For safety and stability, we suggest you have to secure the anti tip accessories to the wall to prevent tipping, injury, and property damage.

FR:ATTENTION : Pour la sécurité et la stabilité, nous vous recommandons de fixer les accessoires anti-basculement au mur afin d'éviter tout renversement, blessure et dommage matériel.



IT:ATTENZIONE: Per garantire sicurezza e stabilità, ti consigliamo di fissare gli accessori di sicurezza contro il ribaltamento alla parete, per prevenire ribaltamenti, lesioni e danni materiali.

ES:ATENCIÓN: Para garantizar seguridad y estabilidad, le recomendamos que fije los accesorios de seguridad contra el vuelco a la pared para prevenir vuelcos, lesiones y daños materiales.

40.



U x 24pcs




EN:In order to make the product more beautiful,please paste hardware U on the exposed holes.


DE:Um das Produkt noch schöner zu machen, kleben Sie bitte Hardware U auf die freiliegenden Löcher.

FR:Afin de rendre le produit plus beau, s' il vous plaît coller le matériel U sur les trous exposés.

IT:Per rendere il prodotto più bello,incollare l'hardware U sui fori esposti.

ES:Con el fin de hacer el producto más hermoso, por favor pega hardware U en los agujeros expuestos.

Importeur	Decobus Handel GmbH
Adresse	Innungsstraße 9, 21244 Buchholz, Deutschland
URL	https://www.decobusgroup.de
Hersteller	Dongguan Yihong Hardware Electronics Co., Ltd
Adresse	Room 1106, No.2, Shangheng Road, Chang' an Town,Dongguan
URL/Email	yy.67786@163.com
Productiondatum	2026/04
Hergestellt In	China
	Decobus Handel GmbH Innungsstraße 9, 21244 Buchholz,Deutschland https://www.decobusgroup.de
 	Product: Bluetooth 2.4G remote controller Modell: YH-284 Nennspannung: 5V Nennfrequenz: 50-60HZ Leistung: 2A

Importeur	Decobus Handel GmbH
Adresse	Innungsstraße 9, 21244 Buchholz, Deutschland
URL	https://www.decobusgroup.de
Hersteller	Dongguan Xinyi Technology co., LTD
Adresse	5F, Building 2, No.492, Jienanroad, Humen, Dongguan,Guangdong. China
URL/Email	yy.67786@163.com
Productiondatum	2026/04
Hergestellt In	China
	Decobus Handel GmbH Innungsstraße 9, 21244 Buchholz,Deutschland https://www.decobusgroup.de
 	Product: LED light strip Modell: 5050-60D-RGB-10MM-5V Nennspannung: 5V Nennfrequenz: 50-60HZ Leistung: 2A



Registration No. : WTF25F05113956
 Reference No. : WTF25F05113956E
 Applicant : Dongguan Xinyi Technology co., LTD
 Address : 5F, Building 2, No.492, Jienanroad, Humen, Dongguan, Guangdong, China
 Manufacturer : The same as above
 Address : The same as above
 Product : LED strip light
 Model No. : Refer to the attached model list
 Technical data : Refer to the attached model list

Test specification:

EN IEC 55015:2019+A11:2020
 EN IEC 61547:2023

The above product has been tested by us with the listed standards and found in compliance with the European Electromagnetic Compatibility Directive 2014/30/EU. It is possible to use CE marking to demonstrate the compliance with this EMC Directive.

EN IEC 55015: Limits and methods of measurement of radio Disturbance characteristics of electrical lighting and similar equipment.
 EN IEC 61547: Equipment for general lighting purposes — EMC immunity requirements

The referred test report(s) show that the product complies with standard(s) recognized as giving presumption of compliance with the essential requirements in the above mentioned EU Directive. Other relevant Directives have to be observed.

After preparation of the necessary technical documentation as well as the conformity declaration, the CE marking as shown below can be affixed on the equipment.

CE



The statement is based on a single evaluation of the sample of above mentioned product. It does not imply an assessment of the whole production.

Waltek Testing Group (Foshan) Co., Ltd.
 Hotline: 400-840-2288
 Http://www.waltek.com.cn
 E-mail: info@waltek.com.cn

WTF0524, WALTEK is registered trademark. Information and application requires prior approval.

Attachment Model list

Reference No.: WTF25F05113956E


Item	Model	Rating	Light Source
1	XYDA-2835-60D		
2	XYDA-2835-120D		
3	XYDA-2835-144D		
4	XYDA-2835-168D	DC 5V, 8W; DC 12V, 9W; DC 24V, 15W	2835
5	XYDA-2835-180D		
6	XYDA-2835-240D		
7	XYDA-2835-192D		
8	XYDA-5050-RGB		
9	XYDA-5050-60D		
10	XYDA-5050-RGBW	DC 5V, 8W; DC 12V, 9W; DC 24V, 14W	5050
11	XYDA-5050-RGB-IC		
12	XY-COB-3-252D		
13	XY-COB-3-528D		
14	XY-COB-5-252D		
15	XY-COB-5-288D		
16	XY-COB-5-320D		
17	XY-COB-5-420D		
18	XY-COB-5-512D		
19	XY-COB-5-528D	DC 5V, 5W; DC 12V, 8W; DC 24V, 10W	COB
20	XY-COB-8-252D		
21	XY-COB-8-256D		
22	XY-COB-8-384D		
23	XY-COB-8-480D		
24	XY-COB-8-512D		
25	XY-COB-8-528D		

Waltek Testing Group (Foshan) Co., Ltd.
 Hotline: 400-840-2288
 Http://www.waltek.com.cn
 E-mail: info@waltek.com.cn
WTF0524, WALTEK is registered trademark. Information and application requires prior approval.

TEST REPORT

Report No. : WTF25F05125576C
Job No. : FSW2505200803CJ
Applicant : Dongguan Xinyi Technology co., LTD
Address : 5F, Building 2, No.492, Jienan road, Humen, Dongguan, Guangdong, China
Manufacturer : Dongguan Xinyi Technology co., LTD
Address : 5F, Building 2, No.492, Jienan road, Humen, Dongguan, Guangdong, China
Sample Name : LED strip light
Sample Model : XYDA-2835-80D
Reference Model : Refer to next page (s)
Test Requested : With reference to EU RoHS Directive 2011/65/EU and its amendment Directive EU 2015/863, to determine the Pb, Cd, Hg, Cr*, PBBs, PBDEs, DBP, BBP, DEHP, DIBP content in the submitted sample.
Test Method : Refer to next page (s)
Test Conclusion : Pass
Date of Receipt Sample : 2025-05-20
Testing Period : 2025-05-20 to 2025-05-24
Date of Issue : 2025-07-08
Test Result : Refer to next page (s)

Prepared By: Waltek Testing Group (Foshan) Co., Ltd.
Address: No.13-19, 2/F., 2nd Building, Sunlink Machinery City, Xingye 4 Road, Guanglong Industrial Park, Chihua Neighborhood Committee, Chencun, Shunde District, Foshan, Guangdong, China
Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn


Signed for and on behalf of
Waltek Testing Group (Foshan) Co., Ltd.

Swing Liang
Waltek Testing Group (Foshan) Co., Ltd.
http://www.waltek.com.cn



Reference Model

XYDA-2835-120D, XYDA-2835-144D, XYDA-2835-168D, XYDA-2835-180D, XYDA-2835-240D,
XYDA-2835-192D, XYDA-5050-RGB, XYDA-5050-60D, XYDA-5050-RGBW, XYDA-5050-RGB-IC,
XY-COB-3-252D, XY-COB-3-528D, XY-COB-5-252D, XY-COB-5-288D, XY-COB-5-320D, XY-COB-5-420D,
XY-COB-5-512D, XY-COB-5-528D, XY-COB-8-252D, XY-COB-8-256D, XY-COB-8-384D, XY-COB-8-480D,
XY-COB-8-512D, XY-COB-8-528D, XY-COB-RGB-10-576D, XY-COB-RGB-10-756D, XY-COB-RGB-10-784D,
XY-COB-RGB-10-784D

Sample photo:





Attestation of Compliance

Attestation No. : LCS220317036AE
Approval Holder : Dongguan Yihong Hardware Electronics Co., Ltd
Address : Room 1106, No.2, Shangheng Road, Chang' an Town, Dongguan
Manufacturer : Dongguan Yihong Hardware Electronics Co., Ltd
Address : Room 1106, No.2, Shangheng Road, Chang' an Town, Dongguan
Brand Name : YH
Product : Bluetooth 2.4G remote controller
Type/Model Name : YH-284,YH-290,YH-287,YH-358,YH-360
H/S Version : HW: /
SW: /

Attestation of the technical design of the radio equipment according to the following essential requirements set out in article 3 of the RED 2014/53/EU:

Article 3.1a): Health and Safety	Conform
Article 3.1b): Electromagnetic Compatibility	Conform
Article 3.2: Effective Use of the Radio Spectrum	Conform

CE-marking



Marking Example (Class 1)

This attestation is issued in accordance with the Directive 2014/53/EU of the European Parliament and of the Council of 16 April 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment.



April 28, 2022

Date of issue



Shenzhen LCS Compliance Testing Laboratory Ltd.
Room 101, Building A and Room 301, Building C, Jufu Industrial Park, Yabianmuezuiwei, Shajing Street, Bao'an District, Shenzhen, Guangdong, China
Tel: (86)755-82591330
Fax: (86)755-82591332
Http://www.LCS-cert.com
Email: webmaster@LCS-cert.com

Importeur	Decobus Handel GmbH
Adresse	Innungsstraße 9, 21244 Buchholz, Deutschland
URL	https://www.decobusgroup.de
Hersteller	DONGGUAN BAIYOU ELECTRONIC CO.,LTD
Adresse	2F A Building WuFeng Industrial Park 21st JinTan Road ShanWu ShiJie Town DongGuan City GuangDong
URL/Email	dgbaiyou@163.com
Produktionsdatum	2026/04
Hergestellt in	China
	Decobus Handel GmbH Innungsstraße 9, 21244 Buchholz, Deutschland https://www.decobusgroup.de
 	Product: Furniture socket Modell: BAYU-AE02AC0524 Nennspannung: 16A Nennfrequenz: 230V Leistung: 3680W

Test Verification of Conformity

Verification Number: 250805098GZU-VOC001

On the basis of the tests undertaken, the sample(s) of the below product has been tested by an accredited 3rd party laboratory in accordance to the referenced specification(s)/standards at the time the tests were carried out. This verification is part of the full test report(s) and should be read in conjunction with it -them(s).

This document can be used in support of a claim in meeting relevant EU legislation and mandatory Conformity Marking. And in accordance with EU law, the claim is the sole obligation of the Manufacturer/ Importer.

Applicant Name & Address:	Dongguan baiyou electronic Co., Ltd 2 F A building wufeng industrial jintanroad shijie town DONGGUAN Guangdong, China		
Product Description:	Multiple socket outlets		
Ratings & Principle Characteristics:	See appendix		
Models/Type References:	See appendix		
Brand Names:	BAYU		
Specification(s)/Standards:	SS 428 08 34: 2013+T1:2018 Low Voltage Directive 2014/35/EU		
Verification Issuing Office Name & Address:	Intertek Testing Services Shenzhen Ltd, Guangzhou Branch Room101/301/401/102/202/302/402/502/602/702/802, No. 7-2, Caipin Road, Huangpu District, Guangzhou, Guangdong, China		
Date of Tests:	2025-08-05 to 2025-12-16		
Test Report Number(s):	250805098GZU-001: 2026-01-04 250805098GZU-002: 2026-01-04		

Signature

Name: Hunter Chu
Position: Manager
Date: Jan. 12, 2026

This verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek does not (and hereby it is agreed) intend to be held responsible for any loss, damage or expense incurred by the use of this verification. Only the Client is authorized to permit copying or distribution of this verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. This observation and test report(s) results are released in confidence and are subject to the sample check/inspection. This verification is not to be used for any other purpose, product, or service, nor has it been used in any other certification program.

APPENDIX: Test Verification of Conformity

This is an Appendix to Test Verification of Conformity Number: 250805098GZU-VOC001

Models/Type References:

BAYU-****-**
The first '**' may be AE, AEF, AER.
The second '**' may be 01, 02, 03, 04, 05, 06.
The third '**' may be AA, AC, ACC.
The fourth '**' may be 0524, 1215.
The fifth '**' may be K or blank.
The sixth '**' may be AC, DC, USB.
250V~, 50Hz, 16A, Max. 3680W@230V~
For Type A+A USB charger:

Ratings & Principle Characteristics:

USB A1/A2: 5VDC2.4A
Total output: 5VDC2.4A.
For Type A+C USB charger:
1): USB-C: 5VDC2.4A
USB-A: 5VDC2.4A
Total output: 5VDC2.4A.
2): USB-C: 5VDC3A, 9VDC2.22A, 12VDC1.67A
USB-A: 5VDC3A, 9VDC2A, 12VDC1.5A
USB-A+USB-C: 5VDC 3A Max
3): USB-C: 5VDC3A, 9VDC2.22A, 12VDC1.67A
USB-A: 5VDC3A
USB-A+USB-C: 5VDC 3A Max
For Type A+C+USB charger:
1): USB-C1/C2: 5VDC2.4A
USB-A: 5VDC2.4A
Total output: 5VDC2.4A
2): USB-C1/C2: 5VDC3A, 9VDC2.22A, 12VDC1.67A
USB-A: 5VDC3A, 9VDC2A, 12VDC1.5A
USB-A+USB-C1+USB-C2: 5VDC 3A Max

Signature

Name: Hunter Chu
Position: Manager
Date: Jan. 12, 2026

This verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek does not (and hereby it is agreed) intend to be held responsible for any loss, damage or expense incurred by the use of this verification. Only the Client is authorized to permit copying or distribution of this verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. This observation and test report(s) results are released in confidence and are subject to the sample check/inspection. This verification is not to be used for any other purpose, product, or service, nor has it been used in any other certification program.

Test Verification of Conformity

Verification Number: 250811262GZU-VOC001

On the basis of the tests undertaken, the sample<*> of the below product has been tested by an accredited 3rd party laboratory in accordance to the referenced specification<*/standard> at the time the tests were carried out. This verification is part of the full test report<*> and should be read in conjunction with it <*>.

This document can be used in support of a claim in meeting relevant 2014/30/EU legislation and mandatory Conformity Marking. And in accordance with EU law, the claim is the sole obligation of the Manufacturer/ Importer.

Applicant Name & Address:	Dongguan baiyou electronic Co., Ltd 2 F A building wufeng industrial jintanroad shijie town DONGGUAN Guangdong, China
Product Description:	Multiple socket outlets
Rating & Principal Characteristics:	250V~, 50Hz, 16A, Max. 3680W@230V~ For Type A+A USB charger: USB A1/A2: 5VDC2.4A, Total output: 5VDC2.4A. For Type A+C USB charger: 1)- USB-C: 5VDC2.4A, USB-A: 5VDC2.4A, Total output: 5VDC2.4A. 2)- USB-C: 5VDC3A, 9VDC2.27A, 12VDC1.67A, USB-A: 5VDC3A, 9VDC2A, 12VDC1.5A USB-A+USB-C: 5VDC 3A Max 3)- USB-C: 5VDC3A, 9VDC2.27A, 12VDC1.67A, USB-A: 5VDC3A, USB-A+USB-C: 5VDC 3A Max For Type A+C+C USB charger: 1)- USB-C1/C2: 5VDC2.4A, USB-A: 5VDC2.4A, Total output: 5VDC2.4A 2)- USB-C1/C2: 5VDC3A, 9VDC2.27A, 12VDC1.67A, USB-A: 5VDC3A, 9VDC2A, 12VDC1.5A USB-A+USB-C1+USB-C2: 5VDC 3A Max. see Appendix
Models/Type References:	-
Brand Names:	EN IEC 61000-6-3:2021
Specification<=>Standards:	EN IEC 61000-6-1:2019
Verification Issuing Office Name & Address:	Intertek Testing Services Shenzhen Ltd. Guangzhou Branch Room101/301/401/102/202/302/402/502/602/702/802, No. 7-2, Capiin Road, Huangpu District, Guangzhou, Guangdong, China
Date of Tests:	08 September 2025-15 September 2025
Test Report Number(s):	250811262GZU-001
Additional Information In Appendix:	

Dem Lim

Signature

Name: Dean Liu
Position: Sr. Project Engineer
Date: 13 January 2026

[illegible]

440/15

Page 1 of 2

GFT-OP-11a (14 March 2025)

APPENDIX: Test Verification of Conformity

This is an Appendix to Test Verification of Conformity Number: 250811262GZU-VOC0001

Models/Type References:

BAYU...

'BAVU' represents the company name.

The subsequent fields indicate product features in the following order:

The first '*' denotes the product form factor, with possible values:

- AE: Regular long strip shape.
- AEE: Regular long strip shape, compatible with flip cover installation.
- AER: Regular long strip shape with built-in USB charger assembly in the middle.

The third '*' specifies the number of socket-outlets. Options include: 01, 02, 03, 04, 05, 06.

The third '*' indicates the type of USB charger module, it can be blank or following features:

- AA: A + A USB ports.
- AC: A + C USB ports.
- ACC: A + C + C USB ports.

The fourth '*' defines the USB charging output specification, it can be blank or following features:

- 0524: Maximum output 5V DC / 2.4A.
- 1215: Maximum output 12V DC / 1.5A.

The fifth '*' indicates whether the product is equipped with CBE functionality. Currently, the options are K or blank.

The sixth '*' refers to additional output features: it can be blank or following features: The same as the USB module. On the PCB board, solder the USB and DC lines at the A port pin location):

- AC: Equipped with a single non-rewirable socket outlet (250V~; 2.5A).
- DC: Equipped with a single DC port output (5VDC; 2.4A).
- USB: Equipped with a single USB port output (5V DC; 2.4A).

Dem Lim

Signature

Name: Dean Liu
Position: Sr. Project Engineer
Date: 13 January 2026

[illegible]

In:ertek

Page 2 of 2

GFT-CP-11a (14 March 2025)

