



MODEL NO	BP03-61810
DESCRIPTION	BRY-SMD-SRP-18W-RND-WHT-4000K-LED PANEL



Luminare is intended to use in outdoor applications
empty
empty
empty

General Characteristics

Model No	:	BP03-61810
Main Family	:	Indoor Lighting
Sub Family	:	LED Small Panel
Type	:	Surface Frame
Body Color	:	White
Lamp Shape	:	Non-Directional
Dimmable	:	Not-Dimmable
Light Source	:	LED
Warranty	:	2 years
Class	:	Class II
IP	:	IP40
Noise	:	empty
Air-Flow	:	empty
Motor Rotation	:	empty
Size	:	empty
Cable Length	:	empty

Electrical Characteristics

Lifetime	:	20000 h
Voltage	:	220-240V
Power Factor	:	>0,5
Material	:	PC
Working Temperature	:	-20 C+40 C
Working Time	:	empty
Frequency	:	50-60 Hz
Current	:	empty
Capacity Watt	:	empty

Dimensions & Weight

Diameter	:	231 mm
P. Height	:	33 mm
Weight	:	360 gr

Product Characteristics

Wattage	:	18 w
Color Temperature	:	4000K
Quse Lumen	:	1760 lm
Color Rendering Index (CRI)	:	>80
Energy Efficiency Level	:	F
Beam Angle	:	120° Degrees
Color Category	:	Natural White

Battery Informations

Battery Capacity	:	empty
Emergency Mode	:	empty
Charging Type	:	empty
Charging Time	:	empty
Number Of Charging Cycles	:	empty
View Distance	:	empty

Sensor Informations

Detection Angle	:	empty
Installation Height	:	empty
Time Delay	:	empty
Lux	:	empty
Lighting Time	:	empty

Solar Informations

Solar Panel : empty

Solar Power : empty

Package Informations

N.W. : 7,20 kgs

G.W. : 9,80 kgs

PCS/CTN : 20 pcs

Length : 480 mm

Width : 445 mm

Height : 260 mm

EAN : 5949097712159