



Installation sanleitung Installation Instruction Instruction d'installation



Points de collecte sur www.quefairedemesdechets.fr
Privilégiez la réparation ou le don de votre appareil !

Unser Produkt wird Ihnen in 2 Paketen geliefert. Die Lieferzeiten dieser 2 Pakete können abweichen, bitte haben Sie etwas Geduld und vielen Dank für Ihr Verständnis.

Our product will be delivered to you in 2 packages. The delivery times of these 2 packages may differ, please be patient and thank you for your understanding.

Notre produit vous sera livré en 2 colis. Les délais de livraison de ces 2 colis peuvent différer, soyez patient et merci pour votre compréhension.

N636P451309
N636P451310

English

IMPORTANT ! KEEP FOR FUTURE REFERENCE : READ CAREFULLY

- To be assembled by an adult. Assembly must be checked by an adult before use
- WARNING ! Keep all screws, small parts and plastic bags out of the reach of children
- Properly identify all parts before assembling
- Never use your item if any of its parts are broken or missing
- Should any problems arise, please contact our After Sales Service
- Manufacturer's instructions shall be followed at all times
- Care: Clean with a soft, dry cloth. In case of larger stains, carefully rub with a slightly damp, non-abrasive sponge
- Avoid the risk of fire by not placing furniture near sources of ignition or hot items
- Do not jump on the bed

Deutsch

WICHTIG ! ZUM SPÄTEREN NACHSCHLAGEN AUFBEWAHREN: SORGFÄLTIG LESEN

- Muss von einem Erwachsenen zusammengebaut werden. Der Zusammenbau muss vor dem Gebrauch von einem Erwachsenen überprüft werden
- WARNUNG! Bewahren Sie alle Schrauben, Kleinteile und Plastikbeutel außerhalb der Reichweite von Kindern auf
- Kennzeichnen Sie vor dem Zusammenbau alle Teile richtig
- Benutzen Sie Ihren Artikel niemals, wenn Teile gebrochen sind oder fehlen
- Sollten Probleme auftreten, wenden Sie sich bitte an unseren Kundendienst
- Die Anweisungen des Herstellers sind stets zu befolgen
- Pflege: Mit einem weichen, trockenen Tuch reinigen. Bei größeren Flecken vorsichtig mit einem leicht feuchten, nicht scheuernden Schwamm abreiben. nicht scheuernden Schwamm
- Vermeiden Sie die Gefahr eines Brandes, indem Sie die Möbel nicht in der Nähe von Zündquellen oder heißen Gegenständen aufstellen
- Nicht auf das Bett springen

Français

IMPORTANT ! CONSERVER POUR RÉFÉRENCE ULTÉRIEURE : LIRE ATTENTIVEMENT

- Le montage doit être effectué par un adulte. Le montage doit être vérifié par un adulte avant Utilisation
- ATTENTION ! Tenir les vis, les petites pièces et les sachets en plastique hors de portée des enfants
- Identifiez correctement toutes les pièces avant de les assembler
- N'utilisez jamais votre article si l'une de ses pièces est cassée ou manquante
- En cas de problème, veuillez contacter notre service après-vente
- Les instructions du fabricant doivent être respectées à tout moment
- Entretien : nettoyer avec un chiffon doux et sec. En cas de taches plus importantes, frotter soigneusement avec une éponge non abrasive légèrement humide. légèrement humide et non Abrasive
- Évitez les risques d'incendie en ne plaçant pas les meubles à proximité de sources d'inflammation ou d'objets chauds
- Ne pas sauter sur le lit

Italiano



IMPORTANTE! CONSERVARE PER RIFERIMENTO FUTURO: LEGGERE ATTENTAMENTE

- Deve essere assemblato da un adulto. L'assemblaggio deve essere controllato da un adulto prima dell'uso
- ATTENZIONE! Tenere tutte le viti, le piccole parti e i sacchetti di plastica fuori dalla portata dei bambini
- Identificare correttamente tutte le parti prima dell'assemblaggio
- Non utilizzare mai l'articolo se alcune parti sono rotte o mancanti
- In caso di problemi, si prega di contattare il nostro Servizio Post Vendita
- Le istruzioni del produttore devono essere sempre seguite
- Cura: Pulire con un panno morbido e asciutto. In caso di macchie più estese, strofinare accuratamente con una spugna leggermente umida e nonspugna leggermente umida e non abrasiva
- Evitare il rischio di incendio, non collocando i mobili vicino a fonti di accensione o a oggetti caldi
- Non saltare sul letto


Español

¡ IMPORTANTE ! CONSERVELO PARA FUTURAS CONSULTAS: LEA ATENTAMENTE

- Debe ser montado por un adulto. El montaje debe ser comprobado por un adulto antes del uso
- ADVERTENCIA Mantenga todos los tornillos, piezas pequeñas y bolsas de plástico fuera del alcance de los niños.
- Identifique correctamente todas las piezas antes de montarlas
 - Nunca utilice su artículo si alguna de sus piezas está rota o falta
 - Si surge algún problema, póngase en contacto con nuestro Servicio Postventa
 - Las instrucciones del fabricante deben seguirse en todo momento
 - Cuidado: Limpiar con un paño suave y seco. En caso de manchas más grandes, frote cuidadosamente con una esponja no abrasiva ligeramente humedecida.
 - Evite el riesgo de incendio no colocando los muebles cerca de fuentes de ignición u objetos calientes.
 - No saltar sobre la cama.







MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS















MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS

N636P451309



10		1PC	15		1PC
11		1PC	21		1PC
12		1PC	22		1PC
13		1PC	25		2PCS
14		1PC			

N636P451310

1		1PC	17		1PC
2		1PC	18		1PC
3		1PC	19		2PCS
4		1PC	20		2PCS
5		1PC	23		1PC
6		1PC	24		1PC
7		2PCS	26		2PCS
8		1PC	27		2PCS
9		1PC	28		2PCS
16		2PCS	29		2PCS
			30		2PCS
			31		1PC




MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS

N636P451310

A	6x90		4PCS	L			1PC
B	6x100		4PCS	M	6x60		10PCS
C			14PCS	O			8PCS
D	ø8x30		20PCS	P	3x25		26PCS
E	6x40		4PCS	R			1PC
F	6x10		4PCS	S	M4		2PCS
G	5x40		28PCS	T			2PCS
H			40PCS	U			1PC
I			40PCS	V			4PCS
J	3x14		44PCS	W			1PC
K			2PCS				

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS




1



M	6x60		8PCS
C			4PCS
D	ø8x30		8PCS
S	M4		1PC

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS


2




M	6x60		2PCS
C			2PCS
D	ø8x30		4PCS
S	M4		1PC

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS



3



A	6x90		4PCS	C		8PCS	M 6x60 			
B	6x100		4PCS	D	ø8x30 	4PCS	S	M4		1PC

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS




4




G	5x40		6PCS
H			1PC
I			1PC

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS



5




H		7PCS	I		7PCS
---	---	------	---	---	------

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS


6



G	5x40		8PCS
H			8PCS
I			8PCS

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS



7




J	3x14		2PCS	W		1PC
---	------	---	------	---	---	-----


MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS

8



D	ø8x30		2PCS	H		12PCS	I		12PCS
---	-------	---	------	---	---	-------	---	---	-------

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS



EN:Scan to download App control the Led light.



DE:Scannen, um die App zum Steuern des LED-Lichts herunterzuladen

FR:Scanner pour télécharger App contrôler la lumière Led.

J	3x14		16PCS	T		2PCS
U			1PC	V		4PCS



MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS

10



E	6x40		4PCS
F	6x10		4PCS
G	5x40		2PCS
S	M4		2PCS




11



J	3x14 	10PCS	K	40x35 	2PCS
L	40x60 	1PC	R		1PC

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS


12




P	3x25		26PCS
---	------	---	-------

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS





13



G	5x40		12PCS
H			12PCS
I			4PCS


MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS

14



I			8PCS
J	3x14		16PCS
O			8PCS

15



1. Software overview

1.1 Overview

LotusLamp X is a free app and an advanced version of the Lotus Lantern app. Users can use this app to automatically recognize various lighting fixtures, such as colored light strips, iridescent light strips, bubble lights, car ambient lights, etc. They can also adjust their brightness, color, set scenes, change dynamic modes and rhythm styles.

Its rhythm function can be used to play local music on the phone, receive sound through the phone microphone, or receive sound through the hardware microphone. If you choose local music rhythm, you need to first download some music files and enable the app's local file access permission.

1.2 Performance

The LotusLamp X APP has good usability and compatibility, verified through actual testing on hundreds of mobile phones, and is compatible with over 95% of the phones currently on the market. The APP is compact and convenient, takes up less system resources, has low requirements for mobile phone configuration, has low control delay, good operation feel, and high visual smoothness of light control.

2 Operating environment

This app requires a mobile phone with Android 8.0 and iOS 12 version or above, with no restrictions on phone configuration.

3 Usage


Note: The download and usage methods for Android and iOS versions are basically the same. Here, the Android version is taken as an example for explanation.

3.1 APP Download

Both iOS and Android systems can download the "LotusLamp X" app by scanning the QR code. Open a browser with a 'scan' function QQ、Scan the "LotusLamp X" QR code using WeChat and other programming tools.




3.2 Software operation



The default interface is displayed for the first time after the APP is installed.

After you power on the device, the system automatically searches for and adds the device.

-  The system menu page is displayed.
-  Click to switch list display.
-  Click to switch grid display.
-  Click Add Device/Add group in the upper right corner.
-  Click Add Device.
-  Click Add Group.
-  This button is displayed at the bottom of the page when you add a device for the first time without obtaining the system permission, such as Bluetooth.




This screen allows you to manage groups and devices.

Click the device/group icon name to enter the device/group control panel.

Swipe left to enter the edit mode.


-  Connect button, click Connect device.
-  Switch button, click to control group/device on and off.
-  Delete button, click Remove device.
-  Group/Device edit button allows you to edit group/device icon, name, group device/select group, menu style, mode style, and customize functions.



Device control panel color palette. It can adjust the color and brightness of color light, cold and warm light, warm light and cold light.


Slide the color palette to adjust the light color. Click the RGB module in the upper left corner to adjust R, G and B respectively.

-  Back button to return to the device management page.
-  Edit button to enter the page for editing device properties.
-  Customize button to customize the color, long press to delete the color.
-  Sliding brightness bar adjusts brightness.
-  RGB switch button, in the middle of the color disk, can control the RGB on and off. Color cannot be adjusted after closing.
-  Master switch, control lights on and off.
-  Color button, click to enter the color interface.
-  Click the rhythm button to enter the rhythm interface.
-  Click the mode button to enter the mode interface.
-  Click the scene button to enter the scene interface.
-  Timing button, tap to enter the timing interface.




Light rhythm control interface. Select rhythmic sound source and rhythmic mode effect.

-  External microphone interface, select the controller hardware integrated microphone as a sound collector, capture the music of the surrounding environment and control the change of the light with the change of the rhythm and intensity of the music.
-  On the mobile microphone screen, select the mobile microphone as the sound collector.
-  Music interface, play the music stored in the phone, the light changes with the music.
-  Control the sensitivity of sound acquisition, slide to select the appropriate value to make sound acquisition sensitive and avoid random lighting.




Dynamic mode interface.

-  Speed slider to control the speed of dynamic mode.
-  Brightness slider to control the maximum brightness for dynamic mode.




Lighting scene setting screen.


Click on the picture to set the corresponding lighting scene.




Lights on and off schedule setting page.

 Enable or disable the schedule of lights on/off.

 Time setting of lights on/off.

 Repeat mode, single or weekly loop.



System settings page. Including strategy of device search, append, connect. Interface language selection, theme style setting, usage instructions and so on.

 Add devices automatically. This parameter is selected by default. If an unconnected device is nearby, it is automatically added to the device list.

 Automatic connection, selected by default. After this function is enabled, the device in the device list is automatically connected.

 Memory connection: When enabled, the recently connected devices are automatically connected.

 Manually connect. After opening, click the device connection button to connect.


 Theme style, can choose dark mode/fresh mode, custom theme background.

 Language Settings, select the APP interface display language.

 Share the APP, you can share the APP with others.

 Question feedback, questions and comments can be submitted.

 Use instructions, see the detailed description of the function.



Theme style setting page. You can select two styles of system integrated or select a picture for your wallpaper.

 Dark Mode: Select a dark theme.

 Light Mode: Select a light theme.

 Automatic Switch: Switch dark or light mode according to the mobile phone system setting of theme.

 Picture Gallery: Select a picture from picture gallery of system built-in.

 Photograph: Turn on the camera, shoot, as your wallpaper.

 Album Selection, Select a picture from your phone's album.

 Adjust the image sharpness.

 Adjust the image transparency.



This certificate is responsible for testing sample only.
Please refer to this corresponding test report to get testing process and data.

CERTIFICATE

ATTESTATION Certificate of Compliance

Technical file of the company mentioned below has been inspected and audit has been
completed successfully

The Low Voltage Directive 2014/35/EU has been taken as references for these processes.

Certificate's Holder : QingDao ChengKong Electrical-Auto Co., Ltd.
Address : Room 5-402, No.147 Xining Road, Zhuhai Community, Huangdao District,
Qingdao, Shandong, China
Manufacturer : QingDao ChengKong Electrical-Auto Co., Ltd.
Address : Room 5-402, No.147 Xining Road, Zhuhai Community, Huangdao District,
Qingdao, Shandong, China
Product Name : Furniture Power Distribution Unit
Product Model (S) : JN02-00-22, JN02-00-22Y, JN02-00-02, JN02-00-21, JN02-00-23,
JN02-00-03, JN02-00-04
Trade Mark : Roozmausy
Related Directive : 2014/35/EU
Related Standards : EN IEC 62368-1:2020 + A11:2020
Certificate Number : HK240527 1322S
Report No. : HK240527 1322-SR
Registration Date : Jun. 04, 2024



Certificate Manager



The information of the certificate can be checked through www.cer-mark.com. The CE mark which is shown on the certificate can only be used under the conditions that the products complete with all of the relevant Directives of CE Declaration of Conformity. The Manufacturer should be responsible for the internal production control so that the products complied with the essential requirements of the above mentioned Directive(s). Certificate holder must notify all changes to the original certification laboratory of HUAKE.



Shenzhen HUAKE Testing Technology Co., Ltd.

Add.: 1-2/F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Tel.: +86-755-2302 9901 Http:// www.cer-mark.com Postcode: 518103 E-mail: service@cer-mark.com



This certificate is responsible for testing sample only.
Please refer to this corresponding test report to get testing process and data.

CERTIFICATE

ATTESTATION Certificate of Compliance

Technical file of the company mentioned below has been inspected and audit has been completed successfully

The EMC Directive 2014/30/EU has been taken as references for these processes.

Certificate's Holder : QingDao ChengKong Electrical-Auto Co., Ltd.
Address : Room 5-402, No.147 Xining Road, Zhuhai Community, Huangdao District, Qingdao, Shandong, China
Manufacturer : QingDao ChengKong Electrical-Auto Co., Ltd.
Address : Room 5-402, No.147 Xining Road, Zhuhai Community, Huangdao District, Qingdao, Shandong, China
Product Name : Furniture Power Distribution Unit
Product Model (S) : JN02-00-22, JN02-00-22Y, JN02-00-02, JN02-00-21, JN02-00-23, JN02-00-03, JN02-00-04
Trade Mark : Roozmausy
Related Directive : 2014/30/EU
Related Standards : EN 55032:2015 + A1:2020 + A11:2020
EN IEC 61000-3-2:2019 + A1:2021
EN 61000-3-3:2013 + A1:2019 + A2:2021
EN 55035:2017 + A11:2020

Certificate Number : HK2405272729E
Report No. : HK2405272729-1ER
Registration Date : Jun. 04, 2024



The information of the certificate can be checked through www.cer-mark.com. The CE mark which is shown on the certificate can only be used under the conditions that the products complete with all of the relevant Directives of CE Declaration of Conformity. The Manufacturer should be responsible for the internal production control so that the products complied with the essential requirements of the above mentioned Directive(s). Certificate holder must notify all changes to the original certification laboratory of HUAKE.



Shenzhen HUAKE Testing Technology Co., Ltd.

Add.: 1-2/F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Tel.: +86-755-2302 9901 Http:// www.cer-mark.com Postcode: 518103 E-mail: service@cer-mark.com

Certificate NO.: LBTC230314130R

Certificate of Compliance

EU- Restriction of the use of certain hazardous substances(RoHS)-

Report No. : LBTC230314130R
Applicant : QingDao ChengKong Electrical-Auto Co., Ltd
Address : Zhuhai Community, Huangdao District, Qingdao ,
Shandong ,China
Manufacturer : QingDao ChengKong Electrical-Auto Co., Ltd
Address : Zhuhai Community, Huangdao District, Qingdao ,
Shandong ,China
Product : Power Adapter
Model Model : JN02-00-22 JN02-00-22Y JN02-00-02 JN02-00-21 JN02-00-23 JN02-00-03
Trade Mark : N/A

Test Standards : EC 62321-3-1-2013
EC 62321-5-1-2013
EC 62321-4-2013+AMD1:2017
EC 62321-7-1:2015
EC 62321-7-2:2017
EC 62321-6:2015

The test results based on the above specified products comply with the EU RoHS 2 Directive 2011/65 / EU Appendix II Amendment Directive(EU)2015/863 as last amended by Directive (EU)2017/2102 limit requirements.

The test results apply only to the particular sample tested and to the specific tests carried out. Specifically to the sample investigated in our test reference number only.
Other relevant Directives have to be observed.



Date of Issue: Mar.14.2013

This statement is based on a single evaluation of the sample(s) of above mentioned product.
It does not imply an assessment of the whole production.



NOWD Testing Services Co., Ltd.

TEL: +86-755-2783 0065 FAX: +86-755-2783 0095

ADD: 5A, Building 29B, Yintian Industrial Zone, Yantian Community,
Xixiang Street, Bao'an District, Shenzhen, China

Email: nowd@nowd.com.cn

Web: http://www.nowd.com.cn

Verification of Compliance

Reference : NTS2511016
Report No. : NTS2511016E, NTS2511017E, NTS2511018E, NTS2511019E
Applicant : QingDao ChengKong Electrical-Auto Co., Ltd
No.147 Xining Road, Zhuhai Community, Huangdao District, Qingdao, Shandong
Manufacture : QingDao ChengKong Electrical-Auto Co., Ltd
No.147 Xining Road, Zhuhai Community, Huangdao District, Qingdao, Shandong
Product : LED STRIPT LIGHT
Trade Mark : ROOZMAUSY
Model No. : L-50-30D
Serial Model : L-50-60D, L-50-18D, L-50-120D, L-3528-30D, L-3535-30D

The submitted sample of the above equipment has been tested for CE marking according to the following European Directives:

Radio Equipment Directive: 2014/53/EU

Standard(s) used for showing compliance with the essential requirements in the specified directive(s):

Test Standards	ETSI EN 301 489-1 V2.2.3 (2019-11)	EN 62479:2010
	ETSI EN 301 489-17 V3.2.4 (2020-09)	ETSI EN 300 328 V2.2.2 (2019-07)
	EN IEC 55015:2019+A11:2020	EN IEC 60598-2-1:2021
	EN IEC 61547-2023	used in conjunction with
	EN IEC 61000-3-2:2019+A1:2021+A2:2025	EN IEC 60598-1:2024/A11:2024
	EN 61000-3-3:2013+A1:2019+A2:2021	

The statement is based on a single evaluation of one sample of above mentioned products. It does not imply an assessment of the whole production.

The manufacture should ensure that all products in series production are in conformity with the product sample detailed in this report. The applicant should hold the whole technical report at disposal of the competent all the right.



Signed for and on behalf of
NOWD Testing Services Co., Ltd.

Somnus

Technical Manager

Date: November 8, 2025



NOWD Testing Services Co., Ltd.

TEL: +86-755-2783 0065 FAX: +86-755-2783 0095

ADD: 5A, Building 29B, Yintian Industrial Zone, Yantian Community,
Xixiang Street, Bao'an District, Shenzhen, China

Email: nowd@nowd.com.cn

Web: <http://www.nowd.com.cn>

Verification of Compliance

Reference No. : NTS2511070

Report No. : NTS2511070R

Applicant : QingDao ChengKong Electrical-Auto Co., Ltd

No.147 Xining Road, Zhuhai Community, Huangdao District, Qingdao, Shandong

Manufacturer : QingDao ChengKong Electrical-Auto Co., Ltd

No.147 Xining Road, Zhuhai Community, Huangdao District, Qingdao, Shandong

Product : LED STRIPT LIGHT

Model No. : L-50-30D, L-50-60D, L-50-18D, L-50-120D, L-3528-30D, L-3535-30D

Trade Mark : N/A

The submitted sample of the above equipment has been tested for CE marking according to the following European Directives:

RoHS Directive: 2011/65/EU & 2015/863/EU

Standard(s) used for showing compliance with the essential requirements in the specified directive(s):

Test Standards IEC 62321-1: 2013;

IEC 62321-6: 2015;

IEC 62321-3-1: 2013;

IEC 62321-7-1: 2015;

IEC 62321-4: 2013+A1: 2017;

IEC 62321-7-2: 2017;

IEC 62321-5: 2013;

IEC 62321-8: 2017

The statement is based on a single evaluation of one sample of above mentioned products. It does not imply an assessment of the whole production.

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. The applicant should hold the whole technical report at disposal of the competent all the right.

RoHS



Signed for and on behalf of
NOWD Testing Services Co., Ltd.

Somnus

Technical Manager

Date: Nov. 08, 2025