

Assembly Instruceion / Bauanleitung

SKU:N879P453277



SKU:N879P453278

SKU:N879P453279

Dieses Set ist in 3 Boxen enthalten, Wern Sie keine vollen 3 Boxen erhalten wenden Sie sich bitte an unseren Kundenservice.

This set comes in 3 boxes. If you do not receive a full 3 boxes, please contact our customer service.

hochbett metall 200×140 cm



INSTRUCTIONS

IMPORTANT-READ CAREFULLY-RETAIN FOR FUTURE REFERENCE

- a) **WARNING** -Children can become trapped between the bed and the wall, the adjoining pieces of furniture (e.g. cupboards) and the Ikea. To avoid risk of serious injury the distance between the safety barrier and the adjoining structure shall not exceed 75 mm or shall be more than 230 mm.
- b) **WARNING**-Do not use the bed if any structural part is broken or missing; Replacement parts are between requested from the manufacturer or the store.
- c) **WARNING**-Do not climb or wiggle on any non-designated structures.
- d) it is imperative to always follow the installation instructions and manufacturer's use.
- e) The recommended size of the mattress to be used with the bed is 200cmx140cm, maximum thickness mattress:10cm.
- f) It is necessary to ventilate the room in order to maintain a low level moisture and prevent mold growth in the bed and its periphery.
- g) Joining devices should always be tightened properly and regularly verified. Tighten if necessary.

ANLEITUNGEN

WICHTIG - SORGFÄLTIG LESEN - FÜR SPÄTERE VERWENDUNG

AUFBEWAHREN

- a) **WARNUNG** - Kinder können zwischen dem Bett und der Wand, den angrenzenden Möbelstücken (z. B. Schränken) und der Lücke eingeklemmt werden. Um die Gefahr schwerer Verletzungen zu vermeiden, darf der Abstand zwischen der Sicherheitsbarriere und der angrenzenden Struktur nicht mehr als 75 mm oder mehr als 230 mm betragen.
- b) **WARNUNG**-Das Bett darf nicht benutzt werden, wenn ein Bauteil gebrochen ist oder fehlt; Ersatzteile sind beim Hersteller oder im Geschäft anzufordern.
- c) **WARNUNG** - Klettern oder wackeln Sie nicht auf nicht dafür vorgesehenen Strukturen.
- d) Befolgen Sie unbedingt die Installationsanweisungen und die Gebrauchsanweisungen des Herstellers.
- e) Die empfohlene Größe der Matratze für das Bett beträgt 200x140cm, maximale Dicke der Matratze: 10cm.
- f) Es ist notwendig, den Raum zu lüften, um die Feuchtigkeit niedrig zu halten und Schimmelbildung im Bett und seiner Umgebung zu verhindern.
- g) Die Verbindungselemente sollten immer richtig angezogen sein und regelmäßig überprüft werden. Ziehen Sie sie gegebenenfalls nach.

ISTRUCCIONES

LEA ATENTAMENTE LO IMPORTANTE Y RESERVE PARA FUTURAS REFERENCIAS.

- a) ADVERTENCIA - los niños pueden quedar atrapados entre camas y paredes, así como en partes adyacentes Muebles (como armarios) y muebles. Para evitar el riesgo de lesiones graves Las barreras de Seguridad y las estructuras adyacentes no deben exceder de 75 mm o 230 mm.
- b) ADVERTENCIA: no use camas si alguno de los componentes estructurales está dañado o desaparecido; Accesorios de reemplazo Según los requisitos del fabricante o la tienda.
- c) ADVERTENCIA: no escalar ni balancearse sobre ninguna estructura no especificada.
- d) asegúrese de seguir siempre las instrucciones de instalación y las instrucciones de uso del fabricante.
- e) el tamaño del colchón recomendado para su uso con la cama es de 200 cm x 140 cm, Espesor máximo del colchón: 10 cm.
- f) necesidad de ventilar las salas para mantener la baja humedad y evitar el crecimiento del moho En la cama y sus alrededores.
- g) el dispositivo de conexión siempre debe apretarse correctamente y verificarse regularmente. Apriete si es necesario.

INSTRUCTIONS

LISEZ ATTENTIVEMENT CE QUI EST IMPORTANT, CONSERVEZ - LE POUR RÉFÉRENCE FUTURE

- A) Avertissement - les enfants peuvent être piégés entre le lit et le mur, ainsi que dans les parties adjacentes Meubles (par exemple, armoires) et meubles. Pour éviter le risque de blessures graves La barrière de sécurité et les structures adjacentes ne doivent pas dépasser 75 mm ou 230 MM.
- B) Avertissement: N'utilisez pas le lit si un élément structurel est endommagé ou manquant; Accessoires de remplacement Selon les exigences du fabricant ou du magasin.
- C) Avertissement: ne pas grimper ou balancer sur des structures non spécifiées.
- D) suivez toujours les instructions d'installation et les instructions d'utilisation du fabricant.
- E) la taille du matelas recommandée pour une utilisation avec le lit est 200cmx140cm, épaisseur maximale du matelas: 10 cm.
- F) Il est nécessaire de ventiler la pièce pour maintenir une faible humidité et empêcher la croissance de moisissures Dans et autour du lit.
- G) Le dispositif de connexion doit toujours être correctement vissé et vérifié régulièrement. Serrer si nécessaire.

ISTRUZIONI

IMPORTANTE-LEGGI ATENTAMENTE-RIMBORSI PER IL FUTURO RIFERIMENTO

- a) ATTENZIONE -I bambini possono rimanere intrappolati tra il letto e la parete, i pezzi adiacenti di mobili (ad esempio armadi) e di Ike. Per evitare il rischio di lesioni gravi la distanza tra il la barriera di sicurezza e la struttura adiacente non devono superare 75 mm o essere superiore a 230 mm.
- b) AVVERTENZA - Non utilizzare il letto se una parte strutturale è rotta o mancante; Parti di ricambio sono tra richieste al fabbricante o al negozio.
- c) ATTENZIONE - Non arrampicarsi o muoversi su strutture non designate.
- d) è imperativo seguire sempre le istruzioni di installazione e l'uso del produttore.
- e) La dimensione raccomandata del materasso da utilizzare con il letto è 200cmx140cm, materasso di spessore massimo: 10cm.
- f) È necessario ventilare la stanza al fine di mantenere un basso livello di umidità e prevenire la crescita di muffe nel letto e nella sua periferia.
- g) I dispositivi di giunzione devono essere sempre serrati correttamente e regolarmente verificati. Stringere se necessario.


DE: Vor dem Einbau die Schrauben in die Löcher stecken und festziehen, aber nicht bis 100%, 70% bis 80% anziehen reicht aus. Schließlich, nachdem alle Schrauben installiert sind, ziehen Sie alle Schrauben auf 100%. Wenn Sie auf diese Probleme stoßen, wie z. B. Fehlausrichtung der Löcher oder Unfähigkeit, bestimmte Teile zu installieren, überprüfen Sie bitte, ob die Schrauben korrekt verwendet werden und passen Sie die Dichtigkeit der Schrauben an.

UK: Before installation, insert the screws into the holes and tighten them, but do not tighten them to 100%, 70% to 80% is sufficient. Finally, after all screws are installed, tighten all screws to 100%. If you encounter these issues, such as if the holes cannot be aligned or some parts cannot be installed, please check if the screws are used correctly and adjust the tightness of the screws.












FR: Insérer la vis dans le trou avant la fin de l'assemblage, serrer la vis, mais ne pas serrer à 100%, 70% ~ 80% est correct. Enfin, une fois que toutes les vis sont bien serrées, toutes les vis sont serrées à 100%. Si vous rencontrez ces problèmes, par exemple si les trous ne sont pas alignés ou si certaines pièces ne peuvent pas être montées, vérifiez que les vis sont utilisées correctement et Ajustez leur serrage.

Importeur	Decobus Handel GmbH		
Adresse	Innungsstraße 9, 21244 Buchholz Deutschland		
URL	https://www.decobusgroup.de		
Hersteller	XIAMEN YOUJIN TRADE CO., LTD.		
Adresse	UNIT B512, NO. 10, EAST HAIJING ROAD, HAICANG, XIAMEN, CHINA		
Email	merchandiser@www.goldstartfurniture.com		
<table border="1" style="display: inline-table; vertical-align: middle;"> <tr> <td>EC</td> <td>REP</td> </tr> </table>	EC	REP	Decobus Handel GmbH Innungsstraße 9, 21244 Buchholz Deutschland https://www.decobusgroup.de
EC	REP		
Standard	EN 747-1: 2024		
	Hergestellt in China		

















Parts List / Stückliste


















Parts List For / Teilliste für N879P453277

①  2 PCS	②  1 PC	③  1 PC	④  1 PC	⑤  1 PC
⑳①  1 PC	⑳②  1 PC	⑳④  1 PC	⑳⑧  1 PC	⑳S  1 PC
⑳Z  1 PC				



























Parts List For / Teilliste für N879P453278

⑧  4 PCS	⑨  20 PCS	⑰⑥  1 PC	⑰⑥  1 PC	⑰⑦  1 PC
⑰⑧  2 PCS	⑰⑨  2 PCS	⑰⑩  1 PC	⑰⑪  1 PC	⑰⑫  2 PCS
⑰⑬  1 PC	⑰⑭  1 PC	⑰⑮  1 PC	⑰⑯  1 PC	⑰T  1 PC
⑰U  1 PC				



Parts List For / Teilliste für N879P453279

<p>⑥</p>  <p>2 PCS</p>	<p>⑦</p>  <p>2 PCS</p>	<p>⑩</p>  <p>1 PC</p>	<p>⑪</p>  <p>2 PCS</p>	<p>⑫</p>  <p>1 PC</p>
<p>⑬</p>  <p>1 PC</p>	<p>⑭</p>  <p>2 PCS</p>	<p>⑮</p>  <p>1 PC</p>	<p>⑰</p>  <p>1 PC</p>	<p>⑱</p>  <p>1 PC</p>
<p>⑲</p>  <p>1 PC</p>	<p>⑳</p>  <p>1 PC</p>	<p>㉓</p>  <p>1 PC</p>	<p>㉕</p>  <p>4 PCS</p>	<p>㉗</p>  <p>1 PC</p>

Hardware for / Hardware für N879P453279

<p>A</p>  <p>M6x10mm 22PCS+2</p>	<p>B</p>  <p>M6x28mm 8PCS+1</p>	<p>C</p>  <p>M6x40mm 11PCS+1</p>	<p>D</p>  <p>M6x45mm 23PCS+2</p>	<p>E</p>  <p>M6x50mm 5PCS+1</p>
<p>F</p>  <p>M6x70mm 4PCS+1</p>	<p>G</p>  <p>M6x40mm 1PC+1</p>	<p>H</p>  <p>M8x15mm 2PCS+1</p>	<p>I</p>  <p>M8x40mm 4PCS+1</p>	<p>J</p>  <p>M8x45mm 8PCS+1</p>
<p>K</p>  <p>M8x70mm 12PCS+1</p>	<p>L</p>  <p>M5x38mm 16PCS+1</p>	<p>M</p>  <p>M6x17mm 3PCS+1</p>	<p>N</p>  <p>M4x14mm 4PCS+1</p>	<p>O</p>  <p>Ø3.5x12mm 2PCS+1</p>
<p>P</p>  <p>M5 1+1PC</p>	<p>Q</p>  <p>M4 1+1PC</p>	<p>R</p>  <p>M3 2PCS</p>	<p>V</p>  <p>2PCS</p>	<p>W</p>  <p>2PCS</p>
<p>X</p>  <p>Ø4x35mm 2PCS</p>	<p>AA</p>  <p>M6x20mm 12PCS+1</p>	<p>AB</p>  <p>2PCS+1</p>	<p>AC</p>  <p>M6x80mm 2PCS+1</p>	<p>AD</p>  <p>M4x10mm 4PCS+2</p>
<p>AE</p>  <p>M6x12mm 4PCS+1</p>				



Step 1



X2

ⓔ x4		M6x50
Ⓚ x1		M4



Step 2





9

ⓐⓐ x4		M6x20
Ⓚ x1		M4

Step 3





Step 4





AA x4		M6x20
Q x1		M4

Step 5





ⓓ x8		M6x45
ⓐ x4		M8x45
Ⓟ x1		M5
Ⓠ x1		M4

Step 6





(D) x12		M6x45
(J) x4		M8x45
(P) x1		M5
(Q) x1		M4

Step 7






ⓓ x3		M6x45
Ⓐ x2		M6x80
Ⓚ x4		M8x70
Ⓜ x3		M6x17
Ⓟ x1		M5
Ⓠ x1		M4



Step 8






(F) x2		M6x70
(Q) x1		M4

Step 9






(H) x2		M8x15
(P) x1		M5

Step 10





Ⓛ x4		M8x40
Ⓚ x4		M8x70
Ⓟ x1		M5



Step 11



17



(F) x1		M6x70
(Q) x1		M4

Step 12






ⓐ x4		M6x40
Ⓠ x1		M4

Step 13



ⓐ x1		M6x40
ⓐ x1		M6x40
ⓐ x1		M4



Step 14



20




AE x2		M6x12
Q x1		M4

Step 15



Ⓒ x2		M6x40
Ⓔ x1		M6x50
Ⓕ x1		M6x70
Ⓖ x1		M4




Step 16



22



Ⓒ x2		M6x40
Ⓔ x1		M4

Step 17




(B) x4		M6x28
(C) x2		M6x40
(Q) x1		M4

Step 18







(L) x8		M5x38
(R) x1		M3

Step 19






Step 20






(L) x8		M5x38
(R) x1		M3

Step 21





(AA) x4		M6x20
(Q) x1		M4

Step 22





(A) x4		M6x10
(B) x4		M6x28
(Q) x1		M4



Step 23





27

(A) x8		M6x10
(Q) x1		M4



Step 24







28




(A) x10		M6x10
(Q) x1		M4

Step 25



AD x4		M4x10
T x1		
U x1		
Q x1		M4





Step 26



30

(N) x4		M4x14
(P) x1		M5



Step 27






31




AE x2		M6x12
Q x1		M4

Step 28






⊙ x2		Ø3.5x12
⊙ x1		
⊙ x1		M5

Step 29







Step 30





(K) x4		M8x70
(V) x2		
(P) x1		M5




Step 31






(X) x2		Ø4x35
(W) x2		

Step 32



  	Importeur	DECOBUS HANDEL GMBH		
	Address	Innungsstraße 9,21244 Buchholz, Deutschland		
	Email/URL	https://www.decobusgroup.de		
	Product Model	HZY-5050RGB-30D-30R-DC5V		
	Manufacture	Shenzhen Hongzhengyu Technology Co., Ltd		
	Add	The fifth floor of Building 3, Haitian Lanyu Science and Technology Industrial Park, No. 5, Industrial 2nd Road, Shilongzi Community, Shiyao Street, Bao'an District, Shenzhen		
	Email/URL	522495222@qq.com		
	Product identification	C796XMJ20260113YO		
	Rated frequency	5V		
	Power	60HZ		
	Rate	2.3W		
	Hergestellt In China			
	<table border="1"> <tr> <td>EC</td> <td>REP</td> </tr> </table>	EC	REP	DECOBUS HANDEL GMBH
		EC	REP	
		Innungsstraße 9,21244 Buchholz, Deutschland		
https://www.decobusgroup.de				

  	Importeur	DECOBUS HANDEL GMBH		
	Address	Innungsstraße 9,21244 Buchholz, Deutschland		
	Email/URL	https://www.decobusgroup.de		
	Product Model	JN02-00-22		
	Manufacture	GUANG TAI ENTERPRISE CO., LTD		
	Add	Rm 402. Bldg 4. No.2 Dapianmei Rd.Dapianmei Village, Dalingshan523000 Dongguan,GuangdongPEOPLE'S REPUBLIC OF CHINA		
	Email/URL	ytyzpn@163.com		
	Product identification	C796XMJ20260113YO		
	Rated frequency	5V		
	Power	60HZ		
	Rate	20W		
	Hergestellt In China			
	<table border="1"> <tr> <td>EC</td> <td>REP</td> </tr> </table>	EC	REP	DECOBUS HANDEL GMBH
		EC	REP	
		Innungsstraße 9,21244 Buchholz, Deutschland		
https://www.decobusgroup.de				

LotusLantern APP Manual

1. Software Overview

1.1 Overview

LotusLantern is a mobile APP to control LED strip by both Apple and Android phones.

The traditional control ways like infrared, 433MHz, 2.4GHz and others old wired ways will be replaced by mobile phone control way with convenient, powerful and scalable features.

Through this mobile APP , you can not only control the color, brightness and color temperature of the LED strips but also set up all kinds of fancy flash mode ; Also this APP can change the light of the LED strip according to the rhythm of the music. This APP can set and control several LED strips through Bluetooth and the operation is very simple, easy to learn and easy to use.

1.2 Features

- Adjust color LED strips with 60,000 colors to change color and brightness and adjust monochrome LED strips to change brightness and color temperature
- Play music or turn on a sound playback device, you can let the light change the color and brightness with the rhythm of music, the music rhythm beautiful
- Inside multiple setting mode for color change and control LED strips without mobile
- Long distance control with omni-directional antenna, and many-to-many group control mode
- Once the connection is successful, connect automatically next time

1.3 Performance

LotusLantern APP is easy for use as well as great compatible for all kinds of smart phones; After the actual test of hundreds of mobile phones verification, the compatibility is above 95% of mobile phones in the market. APP is small and convenient, it consumes less system resources, so the requirements of the mobile configuration are low. Control delay is small, the operation feel good, light control is smooth with people's visual sense.

2. Operating Environment

This APP program requires phones of system above Android 4.3 and iOS 8.0. Mobile phone configuration is not limited.

3. Instructions

Note: Android version and iOS version download and use the same method, here in the Android version as an example.

3.1 APP Download

Scan the QR code

iOS and Android systems can download the "LotusLantern" APP by scanning the QR code. Open the browser or other tools with "Scan QR code" function, scan the "LotusLantern" QR code as below:




3.2 App Operation

- (1) Click on the LotusLantern APP icon, enter the APP page:



(2) After entering the APP interface, if Bluetooth is not enabled, "an application wants to enable the Bluetooth function of this device." Click [Allow]



(3) switch to color and brightness interface:

Click to show the lamp list

Switch the color wheel

Display the RGB value
Click to manual adjustment view

Click to display setting view

Lamp switch button

Adjust the color

Click square icon to adjust the color

Click to shift the interface

R 198
G 193
B 111

Preset: [Green] [Magenta] [Cyan] [Purple] [CCT] [W]


Classic: [Yellow] [White] [Cyan] [Red] [Green] [Blue]

Adjust Style Music Online Mic


(4) click to show the lamp list, view lamp list:

Bluetooth auto connect
after search for devices

Lamp list



Status of device connection



Status of device connection

(5) Click to RGB manual adjustment view:




(6) switch to the mode interface:

Scroll the selection mode

Adjust seed

Adjust luminance




(7) switch to the music rhythm interface:


Previous song, Pause/Play, Next song

Recycle mode

Music List




(8) Switch to the online music interface:




(9) Switch to the microphone rhythm interface:

Music rhythm through cell phone microphone



Switch phone microphone and external microphone

Music rhythm through the microphone on the product




Switch phone microphone and external microphone

4-style rhythm

Change the sensitivity of MIC to match the sound

(10) Switch to the schedule interface:



Set the time of Light-On

Set the time of Light-Off

Enable or disable the Light-On function

Repeat setting
No selection for once Light-On


Enable or disable the Light-Off function

Repeat setting
No selection for once Light-Off

Style Music Online Mic Schedule

Detailed description: This is a mobile application screenshot of the 'Schedule' interface. It is divided into two main sections: 'Schedule On' (top) and 'Schedule Off' (bottom). Each section has a toggle switch to enable or disable the function. Below each toggle is a 'Time' field set to '00:00' and a 'Repeat' section with seven circular buttons representing days of the week (MO, TU, WE, TH, FR, SA, SU). The 'Schedule On' section is highlighted in blue, and the 'Schedule Off' section is highlighted in purple. At the bottom of the screen, there is a navigation bar with icons for 'Style', 'Music', 'Online', 'Mic', and 'Schedule'.

(11) Switch to the modify pin sequence interface:



Click to save the new assignment

Change the real color of this line

V+ R G B W

Detailed description: This is a mobile application screenshot of the 'Modify Pin Sequence' interface. At the top, there is a title bar with a back arrow and the text 'Modify Pin Sequence'. Below the title bar is a 3D rendering of a white pin connector with several pins. Below the connector is a grid of color selection buttons. The first column of buttons is labeled 'V+' and 'W'. The buttons in the first column are labeled 'R', 'G', and 'B'. A red box highlights the 'R', 'G', and 'B' buttons. A green arrow points from a text box to the 'R' button. Another green arrow points from a text box to the 'R' button.

Verification of Compliance

Verification No.:	MK25150114P01-C01
Name and address of Applicant:	Shenzhen Hongzhengyu Technology Co., LTD 5th Floor, Building 2, Haitian Lanyu Technology Industrial Park, 5 Industrial 2nd Road, Shilong Community, Shiyan Subdistrict, Bao'an District, Shenzhen City
Name and address of Manufacturer:	Shenzhen Hongzhengyu Technology Co., LTD 5th Floor, Building 2, Haitian Lanyu Technology Industrial Park, 5 Industrial 2nd Road, Shilong Community, Shiyan Subdistrict, Bao'an District, Shenzhen City
Product name:	LED Slide Strip
Product model(s):	HZY-5050RGB-60D-5V, HZY-2835-120D-12V, HZY-2835-30D-5V, HZY-2835-60D-5V, HZY-2835-120D-5V, HZY-2835-60D-12V, HZY-2835-60D-24V, HZY-2835-120D-24V, HZY-2835RGB-60D-5V, HZY-2835RGB-60D-12V, HZY-5050-30D-5V, HZY-5050-60D-5V, HZY-5050-30D-12V, HZY-5050-60D-12V, HZY-5050-60D-24V, HZY-5050RGB-30D-5V, HZY-5050RGB-60D-5V, HZY-5050RGB-30D-12V, HZY-5050RGB-60D-12V, HZY-5050RGB-60D-24V
Product trademark:	HZY

This verification confirms that the product meets the requirements of the following standard. The conformity was demonstrated based on following standard(s) listed by European Commission as harmonized with Directive RoHS 2.0 Directive (EU) 2015/863 and (EU)2017/2102 amending Annex II to Directive 2011/65/EU

IEC 62321-1:2013	IEC 62321-3-1:2013
IEC 62321-4:2013/AMD1:2017	IEC 62321-5:2013
IEC 62321-6:2015	IEC 62321-7-1:2015
IEC 62321-7-2:2017	IEC 62321-8:2017
IEC 62321-2:2021	

The verification has been carried out in accordance with individual rules and conditions agreed with the applicant. Evaluation has been carried out in accordance with:

Test report(s) No.:	MK25150114P01-C01
Test conducted by:	TMC Testing Services (Shenzhen) Co., Ltd.
Verification issue date:	December 30, 2025

Notes:

This verification refers to the above mentioned product and its conformity in regards of above mentioned standard(s) was proven on test sample.

This verification does not imply meeting all essential requirements, assessment of the series-production or any other restricted Notified Bodies conformity assessment procedure appropriate for the product.

This verification holder shall use this verification in connection to verification of conformity and technical data relevant for the product the verification was issued.

TMC Testing Services (Shenzhen) Co., Ltd.

t:86-755-86642861 cert@tmc-lab.com www.tmc-lab.com

1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street, Baoan District, Shenzhen, China



Lab Director
Vivian Jiang

Verification of Compliance

Verification No.:	MK25150114P02-R01
Name and address of Applicant:	Shenzhen Hongzhengyu Technology Co., LTD 5th Floor, Building 2, Haitian Lanyu Technology Industrial Park, 5 Industrial 2nd Road, Shilong Community, Shiyan Subdistrict, Bao'an District, Shenzhen City
Name and address of Manufacturer:	Shenzhen Hongzhengyu Technology Co., LTD 5th Floor, Building 2, Haitian Lanyu Technology Industrial Park, 5 Industrial 2nd Road, Shilong Community, Shiyan Subdistrict, Bao'an District, Shenzhen City
Product name:	LED Slide Strip
Rated:	Input:100-240V~ 50/60Hz 0.6A Max Output:5V --- HZY-5050RGB-60D-5V, HZY-2835-120D-12V, HZY-2835-30D-5V, HZY-2835-60D-5V, HZY-2835-120D-5V, HZY-2835-60D-12V, HZY-2835-60D-24V, HZY-2835-120D-24V, HZY-2835RGB-60D-5V, HZY-2835RGB-60D-12V, HZY-5050-30D-5V, HZY-5050-60D-5V, HZY-5050-30D-12V, HZY-5050-60D-12V, HZY-5050-60D-24V, HZY-5050RGB-30D-5V, HZY-5050RGB-60D-5V, HZY-5050RGB-30D-12V, HZY-5050RGB-60D-12V, HZY-5050RGB-60D-24V
Product model(s):	
Product trademark:	HZY

This verification confirms that the product meets the requirements of the following standard.

The conformity was demonstrated based on following standard(s) listed by European Commission as harmonized with Radio Equipment Directive (2014/53/EU).

Requirement		Standard	Report No.
Art.3.1(a)	Safety	EN 60598-2-21:2015; EN IEC 60598-1:2021+A11:2022	MK25150114P02-S01
Art.3.1(a)	Health	EN 62479:2010 EN50663:2017	MK25150114P02-H01
Art.3.1(b)	EMC	ETSI EN301 489-1 V 2.2.3 (2019-11) ETSI EN 301 489-17 V3.3.1 (2024-09)	MK25150114P02-E01
Art.3.2	Radio	ETSI EN 300 328 V2.2.2(2019-07)	MK25150114P02-RF01

Notes:

This verification refers to the above mentioned product and its conformity in regards of above mentioned standard(s) was proven on test sample.

This verification does not imply meeting all essential requirements, assessment of the series-production or any other restricted Notified Bodies conformity assessment procedure appropriate for the product.

This verification holder shall use this verification in connection to verification of conformity and technical data relevant for the product the verification was issued.

TMC Testing Services (Shenzhen) Co., Ltd.

t:86-755-86642861 cert@tmc-lab.com www.tmc-lab.com

1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street, Baoan District, Shenzhen, China



Lab Director

Vivian Jiang

January 6, 2026

Declaration of Conformity

This declaration of conformity is issued under the sole responsibility of the manufacturer.

Manufacturer: GUANG TAI ENTERPRISE CO.,LTD.
 Address:No. 2, Dapianmei District, Dalingshan Town, Dongguan City,Guangdong Province
 Sample Name: Furniture power Distribution Unit
 Main Model: JN02-00-112
 SeriesModels:JN02-00-111,JN02-00-211,JN02-00-22,JN02-00-113,JN02-00-213,JN02-00-113K,JN02-00-21.JN02-00-23,JN02-00-212
 Parameters:
 Input:AC220-250V,16A,50Hz,MAX.3680W
 USB-A:5V DC 2.1A.10.5W
 USB-C:5VDC 2.1A,10.5W
 USB-A+USB-C:5VDC 2.1A,10.5W

This declaration is issued under the sole responsibility of the Manufacturer
 The object of the declaration described above is in conformity with the relevant Union harmonisation legislation:

Conformity is shown by compliance with the applicable requirements of the following documents:

Reference & Date	Title
IEC 62368-1:2023 EN IEC 62368-1: 2024 +A11:2024	LVD Directive 2014/35/EU
IEC 60884-1:2002 IEC 60884-1:2002/AMD1:2006 IEC 60884-1:2002/AMD2:2013 IEC 60884-2-7:2011 IEC 60884-2-7:2011/AMD1:2013	

the declaration of conformity is issued under the sole responsibility of the Manufacturer.
 Sien on behalf of: GUANG TAI ENTERPRISE CO.,LTD.
 Position:Manager
 Name: Yang Zhongping
 Place: No. 2, Dapianmei District, Dalingshan Town, Dongguan City,Guangdong Province
 Sample Name: Furniture power Distribution Unit
 Date:August 19, 2025

Sigoature: _____



Certificate of Compliance

RoHS Directive 2011/65/EU appendix II Revised instructions (EU) 2015/863 of the European parliament and of the council on the restriction of the use of certain hazardous substances in electrical and electronic equipment

Issue Date: Nov.27, 2025

Company Name	: GUANG TAI ENTERPRISE CO.,LTD
Address	: Rm402,Bldg 4,No.2 Dapianmei Rd.Dapianmei Village,Dalingshang DONGGUAN GUANGDONG
Manufacturer	: GUANG TAI ENTERPRISE CO.,LTD
Address	: Rm402,Bldg 4,No.2 Dapianmei Rd.Dapianmei Village,Dalingshang DONGGUAN GUANGDONG
Sample Name	: Furniture Power Distribution Unit
Sample Model	: JN02-00-21;JN02-00-111;JN02-00-112;JN02-00-212; JN02-00-22;JN00-00-02K;JN02-00-113K;JN02-00-113; JN02-00-213;JN02-00-23;JN00-00-03K;JN00-00-03; JN00-00-04K;JN00-00-04; JN02-00-23K

This certificate of compliance is based on a test procedure or an evaluation of the above-mentioned product. This is to certify that the above-mentioned product is in compliance with the According to IEC63000:2018+AMD1:2017 and RoHS Directive 2011/65/EU Revised instructions (EU) 2015/863 of the European parliament.

It is only valid in connection with the test report (Report No.: COBO25110736-R1)

RoHS

Signed for and on Behalf of COBO



Sam Xie / Technical Manager

GUANGDONG TICOBO TESTING CO.,LTD.

EA601, Yishili Building No.9, Zongbu 2nd Road, Songshan Lake Sci.&Tech. Park, Dongguan, Guangdong, China

Tel:86-769-26622263

Fax:86-769-26622012

